

MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250 Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler MILBANK MANUFACTORING INC 1400 E. HAVENS ST. KOKOMO, IN 56901-3188

05/19/1998

NET Job Number:

98.03218

Page 1 of 3

Enclosed are the Analytical Results for the following samples submitted to NET, Inc. Indianapolis Division for analysis:

Project Description: TWICE WEEKLY WASTEWATER

Sample Number

Sample Description

Date Taken Date Received

207404

OUTFALL 001

05/12/1998

05/12/1998

National Environmental Testing, Inc. certifies that the analytical results contained herein apply only to the specific samples analyzed.

Reproduction of this analytical report is permitted only in its entirety.

Project Representative

Lon Barrers

MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

ANALYTICAL REPORT

Mr. Richard Tyler

MILBANK MANUFACTORING INC

1400 E. HAVENS ST. KOKOMO, IN 56901-3188 05/19/1998

Job No.: 98.03218

Page 2 of 3

Date Received: 05/12/1998

Job Description: TWICE WEERLY WASTEWATER

Sample Number	/ Sample I.D.			Sample Date/	Analyst &	*****	Reporting
Parameters		Result	Flaq	Units	Date Analyzed	Method	Limit
207404	OUTFALL 001			05/12/1998			
Iron, ICP		<0.10		mg/L	tjg / 05/15/1998	E-200.7	<0.10
Lead, ICP		<0.080		mg/L	tjg / 05/15/1998	E-200.7	<0.080
Silver, ICP		<0.020		mg/L	tjg / 05/15/1998	E-200.7	<0.020
Zinc, ICP		0.92		mg/L	tjg / 05/15/1998	E-200.7	<0.020



MAY 22 1998

Indianapolis Division 6964 Hillsdale Ct. Indianapolis, IN 46250

Tel: (317) 842-4261 Fax: (317) 842-4286

FIELD REPORT

JOB #: 98.03218

CLIENT: MILBANK MFG.

PROJECT: TWICE WEEKLY WASTEWATER

DATE: 5/12/98
SAMPLER(S): MTM

An ISCO model 6700 auto sampler was used in the composite mode of operation. The sampler was equipped with a plastic composite jug, tygon suction line, battery, ice, and strainer.

All reusable equipment is decontaminated with alconox, tap water, 5% nitric acid, and deionized water. New tygon suction tubing was used for the sampler. A stainless steel strainer was also used for the sampling event.

The sampler was set to take a sample every 30 minutes for 24 hours.

Monitoring start 08:00 on 5/11/98 Monitoring end 08:00 on 5/12/98

The composite sample was slightly cloudy, few suspended particles.

Notes: Samples were preserved, in the field, in the appropriate containers with any required preservative.



SAMPL	ED BY Lael AME)		CHA COMPA ADDRE PHONE PROJE PROJE PROJE PROJE NATURE	ANY _ SS _ E CT N CT N	IAME/I	LOCA	ATIOI	HAV	AFG ENS	5 S	T. W	EK.	Kok FAX	X	o, I	N	 		
DATE	TIME	SAMPLE ID/DESCRIPTION		MATRIX	GRAB	П	T	Т		ОТНЕВ	165.	As 2n							Which regulations apply: RCRA NPDES Wastewater UST Drinking Water Other None
1998 5/11-	5/12	OUTFALL DOI		<i>\(\)</i>	×			1			_	K	X						COMMENTS
																	-1	+	
		F SAMPLE: BOTTLES INTACT? YE FIELD FILTERED? YES AINDER DISPOSAL: RETURN SAMP I REQUEST NE	PLE REMAIN			V LIEN	OLA IT VI	TILES	S FRE	EE C	OF H	AND EAD	INTA SPAC	CT?	ES/1	NO NO	 -		TEMPERATURE UPON RECEIPT: Bottles supplied by NET? TEMPERATURE UPON RECEIPT: DATE
Me	Lal DD OF S	DATE TIME Plan 5/12/98 16:00 SHIPMENT	•	RECEIVED BY: RELINQUISHED BY: DATE 5/12/48										198 (1015 RECEIVED FOR DET BY:					